

HP LaserJet Enterprise X50352dn Printer

The powerful A4 enterprise printer for small teams

Simplify document workflows with blazing-fast speeds and customizable features. Seamlessly integrates with your existing fleet, scales for the future, and delivers industry-leading security to safeguard your data.



This printer is intended to work only with cartridges that have a new or reused HP chip, and it uses dynamic security measures to block cartridges using a non-HP chip. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. A reused HP chip enables the use of reused, remanufactured, and refilled cartridges. More at: <http://www.hp.com/learn/ds>

Highlights

- 6.8 cm Non-touch control panel
- 650-sheet standard input
- 2,300-sheet max input
- Energy Star® Certified
- Blue Angel Certified

Get the power to be more productive

- Save time with fast printer wake-up and print speeds up to 52 ppm to power through your tasks.²
- Stay ahead with FutureSmart firmware updates, keeping your fleet always up to date.³
- Customize workflows your way with printer and software configurations for your unique needs.
- Work without interruptions—smart services monitor devices in real time and fix issues before disrupting flow.⁴

Simplify work with automated workflows

- Wherever you are in your digital transformation, find the perfect fit—on-premises or cloud, tailored to you.
- Easily integrate your device into your fleet and workflows with seamless compatibility.

Protect what matters with the most secure printer¹

- Keep your work protected—HP Wolf silently detects and repairs your printer from cyberattacks.¹
- Simplify compliance—HP Security Manager enforces policies automatically, so you're always audit-ready.⁵
- Get peace of mind with future-ready security — the world's first printers protected against quantum attacks.⁷

Save energy and help reduce waste

- Reduce costs and environmental impact with printers and toner cartridges that use less energy.⁸
- Meet the rigorous criteria of EPEAT Gold, Energy Star, and Blue Angel with our energy efficient designs.⁹
- Help reduce plastic waste with TerraJet Toner Cartridges designed with recycled plastics.¹⁰
- Easily recycle your used HP TerraJet Toner Cartridges for free through the HP Planet Partners Program.¹¹

Product walkaround

HPLaserJetEnterpriseX50352dn Printer shown

- 1. 250-sheet output bin supports media sizes up to Legal (21.6 x 35.6 cm)
- 2. Hardware Integration Pocket (for connecting accessories and third-party devices)¹
- 3. 550-sheet tray 2 supports media sizes up to Legal (21.6 x 35.6 cm)
- 4. 100-sheet multipurpose tray 1 supports media sizes up to Legal (21.6 x 35.6 cm)
- 5. Automatic 2-sided printing
- 6. 2.7-inch color non-touch display (6.8cm)



Accessories, Supplies and Support

Supplies

W9187MC HP W9187MC Black Managed LaserJet Toner Cartridge (Average cartridge yields 28,000 standard pages. Declared yield value in accordance with ISO/IEC 19752.)

Accessories

- 2TD64A HP Accessibility Kit
- 6W661A HP LaserJet X50352/X50452 Constellation Yellow Color Panel Kit
- B5L31A HP Foreign Interface Harness
- 6C7M6A HP LaserJet 550-sheet Paper Tray
- B8GR1A HP LaserJet 550 Sheet Paper Constellation Yellow Tray
- B8GR2A HP LaserJet 550 sheet Paper Cosmic Green Tray
- B8GR3A HP LaserJet 550 sheet Paper Aurora Purple Tray
- B8GR4A HP LaserJet 550 sheet Paper Comet Red Tray
- B8GR5A HP LaserJet 550 sheet Paper Lunar Gray Tray
- B01KLA HP LaserJet 3x550 Sheet Paper Tray with Stand
- B01KMA HP LaserJet Lunar Gray 3x550 Sheet Paper Tray with Stand
- B01KNA HP LaserJet Comet Red 3x550 Sheet Paper Tray with Stand
- B01KPA HP LaserJet Cosmic Green 3x550 Sheet Paper Tray with Stand
- B01KQA HP LaserJet Aurora Purple 3x550 Sheet Paper Tray with Stand
- B01KRA HP LaserJet Constellation Yellow 3x550 Sheet Paper Tray with Stand
- B01KTA HP LaserJet 550 Sheet Paper Tray with Storage Stand
- B01KVA HP LaserJet Lunar Gray 550 Sheet Paper Tray with Storage Stand
- B01KWA HP LaserJet Comet Red 550 Sheet PaperTray Storage Stand
- B01KXA HP LaserJet Cosmic Green 550 Sheet Paper Tray with Storage Stand
- B01KYA HP LaserJet Aurora Purple 550 Sheet Paper Tray with Storage Stand
- B01KZA HP LaserJet Constellation Yellow 550 Sheet Paper Tray with Storage Stand
- B01KSA HP LaserJet Envelope Feeder Kit
- 2TD64A HP Accessibility Kit
- 478C2A HP Printing Voice Assistant
- 8FP31A HP Jetdirect LAN Accessory
- 9R1U0A HP JetDirect 3200w Wi-Fi 6 Bluetooth Wireless Accessory
- 6W661A HP LaserJet X50352/X50452 Constellation Yellow Color Panel Kit
- 6W662A HP LaserJet X50352/X50452 Cosmic Green Color Panel Kit
- 6W663A HP LaserJet X50352/X50452 Aurora Purple Color Panel Kit
- 6W664A HP LaserJet X50352/X50452 Comet Red Color Panel Kit
- 6W665A HP LaserJet X50352/X50452 Lunar Gray Color Panel Kit
- 6W681A HP 550 sheet Paper Tray Constellation Yellow Panel Kit
- 6W682A HP 550 Sheet Paper Tray Cosmic Green Panel Kit
- 6W683A HP 550 Sheet Paper Tray Aurora Purple Panel Kit
- 6W684A HP 550 Sheet Paper Tray Comet Red Panel Kit
- 6W685A HP 550 Sheet Paper Tray Lunar Gray Panel Kit
- 6W686A HP Storage Stand Constellation Yellow Panel Kit
- 6W687A HP Storage Stand Cosmic Green Panel Kit
- 6W688A HP Storage Stand Aurora Purple Panel Kit
- 6W689A HP Storage Stand Comet Red Panel Kit
- 6W690A HP Storage Stand Lunar Gray Panel Kit
- B5L31A HP Foreign Interface Harness
- X3D03B HP USB Universal Card Reader
- Y7C05B HP HIP2 Keystroke Reader
- 35H11B HP HID Mob Acc Mifare DES Fire ks Reader
- 4QL32A HP Legic Secure USB Reader

Service and Support

- UN9J1E-HP 3 year Next Business Day Onsite with DMR Service for LaserJet Enterprise X50352
- UN9J2E-HP 4 year Next Business Day Onsite with DMR Service for LaserJet Enterprise X50352
- UN9J3E-HP 5 year Next Business Day Onsite with DMR Service for LaserJet Enterprise X50352
- UN9J4PE-HP 1 year Post Warranty NBD Onsite with DMR Service for LaserJet Enterprise X50352
- UN9J9E-HP 3 year Parts Exchange with DMR Service for LaserJet Enterprise X50352
- UN9K0E-HP 4 year Parts Exchange with DMR Service for LaserJet Enterprise X50352
- UN9K1E-HP 5 year Parts Exchange with DMR Service for LaserJet Enterprise X50352
- UN9K2PE-HP 1 year Post Warranty Parts Exchange with DMR Service for LaserJet Enterprise X50352
- U67T2E-HP Print Carbon Emissions Sync Service for A4 Products only
- U9JT2E-HP Installation Service with network configuration for Workgroup Printer(1 unit)

¹ Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase.

Technical specifications

Model	HP LaserJet Enterprise X50352dn Printer
Product number	A29Z4A
Functions	Print
Control panel	2.7-in (6.86 cm) Non-touch QVGA LCD (color graphics) display with 24-key pad
Print	
Print technology	Laser
Print speed ^{1,2}	Black (A4, normal): Up to 50 ppm ; Black (A4, duplex): Up to 41 ipm ; Print speed black (Portrait, A5): Up to 14 ppm ; Print speed black (Landscape, A5): Up to 76 ppm
First page out ³	Black (A4, ready): As fast as 4.1 sec ; Black (A4, sleep): As fast as 7.3 sec
Print resolution	Black (best): Up to 1200 x 1200 dpi ; Technology: Normal (600 x 600 dpi with FastRes), Fine Lines (1200 x 1200 dpi), Quickview (300 x 300 dpi)
Monthly duty cycle ⁷	Up to 225,000 pages A4; Recommended monthly page volume ⁸ : 7,500 to 18,750
Printer smart software features	Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs
Standard print languages	HP PCL 6, HP PostScript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint [®]
Fonts and typefaces	105 Internal TrueType fonts scalable in HP PCL; 92 Internal scalable fonts in HP PostScript Level 3 emulation (Euro symbol built-in); 1 Internal Unicode Fonts (Andale Mono World Type); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation information available in the user guide and documentation for this printer model at http://www.hp.com/support
Print area	Print margins Top: 4.23 mm, Bottom: 4.23 mm, Left: 4.23 mm, Right: 4.23 mm, Maximum print area : 212 x 352 mm
Duplex printing	Automatic (standard)
Processor speed	Dual Core (1.4 GHz)
Storage	8 GB eMMC
Connectivity	
Standard	1 Gigabit Ethernet 10/100/1000 Base-T network; 1 Hardware Integration Pocket 2nd generation (HIP2); 1 Hi-Speed USB 2.0 (device); 1 Hi-Speed USB 2.0 (host)
Optional	HP Jetdirect 3200w WiFi 6 Bluetooth Wireless Accessory 9R1U0A; HP Jetdirect LAN Accessory 8FP31A
Mobile printing capability	Apple AirPrint [™] ; Mopria [™] certified
Supported network protocols	Via built-in networking solution: TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, IPP 2.0, Apple AirPrint [™] , HP ePrint, FTP Print, Google Cloud Print; Discovery: SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (BootP, DHCP, AutoIP, Manual, TFTP Config, ARP-Ping), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6); Management: SNMPv2/v3, HTTP/HTTPS, Telnet, TFTP Config, FTP FW Download, Syslog; Security: SNMPv3, SSL Cert Management, Firewall, ACL, 802.1x
Network capabilities	Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-T, 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); WiFi 2.4/5 GHz wireless networking (optional); Second Ethernet port (optional); Microsoft Universal Print (MUP) support
Memory	Standard: 2 GB, Maximum: 2 GB
Media handling	
Number of paper trays	Standard: 2; Maximum: 5 ¹⁰
Media types	Paper (bond, color, letterhead, plain, preprinted, prepunched, recycled, rough); envelopes; labels; cardstock; transparencies; user-defined
Media size	Custom (metric): Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 105 x 148 to 216 x 356 mm; Optional 550-sheet Tray: 105 x 148 to 216 x 356 mm; Envelope Feeder Accessory: 98 x 162 to 178 x 254 mm Supported (metric): Tray 1: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), 10 x 15 cm, OJcio (216 x 340), 16K, postcards (JIS single and double), envelopes (B5, C5, C6, DL); Tray 2: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), OJcio (216 x 340), 16K, postcards (JIS double); Optional 550-sheet Tray: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), OJcio (216 x 340), 16K, postcards (JIS double); Automatic Duplexer: A4, A5, RA4, B5, 16K (195 x 270 mm, 184 x 260 mm, 197 x 273 mm), OJcio; Envelope Feeder Accessory: B5, C5, C6, DL

Model	HP LaserJet Enterprise X50352dn Printer
Product number	A29Z4A
Media handling	Standard input: 100-sheet multipurpose Tray 1, 550-sheet input Tray 2, automatic duplex printing Standard output: 250-sheet output bin Optional input: Optional: 1 x 550-sheet paper tray, 1 x 550-sheet paper tray with cabinet, 3 x 550-sheet paper tray, optional envelope feeder kit
Media weight	Feeder 1: 60 to 200 g/m ² ; Feeder 2: 60 to 120 g/m ² ; Automatic Duplexer: 60 to 120 g/m ²
Input capacity	Tray 1: Sheets: 100; Envelopes: 10 Tray 2: Sheets: 550; Labels: Up to 500 Tray 3: Sheets: 550; Envelope Accessory Tray: 50 Envelopes Maximum: Up to 2300 sheets
Output capacity	Standard: Up to 250 sheets Envelopes: Up to 30 envelopes Transparencies: Up to 100 sheets Maximum: Up to 250 sheets
Envelope feeder	Yes, 50 (optional) ²⁹
Compatible operating systems ¹²	Windows 11 (64-bit and ARM64); Windows 10 (32-bit, 64-bit and ARM64); Android; iOS; macOS 14 Sonoma; macOS 15 Sequoia; macOS Tahoe v26; Linux: Debian 10; Linux: Debian 11; Linux: Elementary 6P; Linux: Fedora 31; Linux: Fedora 32; Linux: Fedora 33; Linux: Fedora 34; Linux: Fedora 35; Linux: Linuxmint 20.1; Linux: Linuxmint 20.2; Linux: Manjorlinux 20.2; Linux: Manjorlinux 21.0.7; Linux: Mxlinux 21; Linux: OpenSuse 15.1; Linux: OpenSuse 15.2; Linux: OpenSuse 15.3; Linux: Rhel 6; Linux: Rhel 7; Linux: Rhel 8; Linux: Ubuntu 20.04; Linux: Ubuntu 20.10; Linux: Ubuntu 21.04; Linux: Ubuntu 21.10; Linux: Zorin 15; Linux: Zorin 16; Chrome OS Citrix: SAP: Windows Server 2016 64-bit: Windows Server 2019 64-bit: Windows Server 2022 64-bit: Windows Server 2025 64-bit
Compatible network operating systems	No software solutions are included in the Box only on http://support.hp.com
Software included	Identity management: Role-Based Access Control (RBAC) Walk-up and Remote Access; Admin PW Protected EWS and Remote Access; Self-signed Certificate; Encrypted passwords; Personal on-device user accounts; Account Lockout (time-based); Kerberos AuthN; LDAP authentication; 1000 user PIN codes; Optional HP and 3rd party passwordless, MFA solutions (e.g.: badge readers); Protected Access (embedded) end user passwordless MFA for Microsoft® Entra ID; Proximity card reader, single sign-on, smart card, CAC support. Network protection: IPsec/Irewall with Certificate; Elliptic Curve Cryptography (ECC, EC-based certificates); Pre-Shared Key; Kerberos AuthN; Web Jetadmin Deet proxy; 802.1X (EAP-PEAP; EAP-TLS); SNMPv3; HTTPS with Server Certificate Validation; Certificate Provisioning and CA support; Access Control List. Data privacy and protection: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated crypto libraries from Microsoft®); Secure Erase with job storage (3x overwrite for HDD, cryptographic erase for SSD); SSL/TLS 1.2, TLS 1.3 support (HTTPS; Encrypted Credentials; Secure encrypted print support via UPD; AI-enabled Guided Redaction data security (select models). Device protection: Continuous malware monitoring; HP SureStart with Quantum Resistant BIOS Firmware Integrity checking, PQC protection, and self-healing recovery; Allowlisting code validation (DLLs, EXEs, etc.) at time of use; Memory Shield hardware-enforced Runtime Intrusion Detection and Control Flow Integrity with self-healing recovery; AI-powered Connection Inspector network behavior anomaly detection with self-healing recovery; Trusted Platform Module 2.0; Configurable Service PIN; EU RED, UK PSTI, Australia Cybersecurity Act 2024 compliant; Embedded VPN (select HP Enterprise models); HP LaserJet WorkFlow Accelerator Card support (select HP Enterprise models); Wi-Fi security: WPA Enterprise; Security lock slot; USB host port disablement; Hardware integration pocket (HIP). Testing, Validation, Governance, and Compliance: FIPS 140-2, 140-3, Common Criteria Certification; NIST security checklist; Supply Chain Security ISO/IEC 20243 Certifications. Fleet security management: HP Security Manager policy and device certificate management, Deet Firmware vulnerability assessment; Compatible with Device Security Syslog Messages processed and accessible in SIEM tools; HP Workforce Experience Platform Support (select models); Original HP Enterprise Cartridge Security. HP Printer Assistant; HP Device Toolbox; HP Web JetAdmin Software; HP Security Manager; Printer Administrator Resource Kit for HP Universal Print Driver (Driver Configuration Utility - Driver Deployment Utility - Managed Printing Administrator)
Printer management	
Dimensions and weight	
Printer dimensions (W x D x H)	Minimum 400 x 400 x 305 mm; Maximum: 400 x 725 x 305 mm
Printer weight [†]	~11.8 kg
Operating environment	Temperature: 15 to 32.5°C Humidity: 30 to 70% RH
Storage conditions	Temperature: -20 to 40°C
Acoustics [†]	Acoustic power emissions: 6.9 B(A) Acoustic pressure emissions: 54 dB(A)
Power ⁹	Requirements: Input voltage: 100 V ~ 127 V AC, 50 ~ 60 Hz, 8.8 A; or Input voltage: 220 V ~ 240 V AC, 50 ~ 60 Hz, 4.6 A; Consumption: 552.4 watts (Printing), 4.89 watts (Ready), 0.76 watts (Sleep), 0.02 watts (Auto-Off), 0.02 watts (Off); Typical Electricity Consumption (TEC) ³⁰ : 0.419 kWh/Week (Blue Angel); 0.400 kWh/Week (ENERGY STAR 3.0); Power supply type: Built-in 3-Pin 115V or 220V Internal Power Supply
Energy savings feature technology	HP Auto-Off Technology; Instant-on Technology; Low-power sleep mode; Power save; TerraJet Toner
Certifications ²	UL/cUL (US/Canada); RCM (Australia); TUV and GS Mark (Germany); Department of Industrial Standards of Cambodia; Bureau of Standards, Metrology and Inspection Ministry of Economic Affairs - BSMI (Taiwan); Certificate of China Compulsory Product Certification - CCC (China); Bureau of Indian Standards - BIS Registration (India); PSB (Singapore); Eastern European country approvals; CE Marking; Other Safety & EMC Certification approvals as required by individual countries. Electromagnetic emission standard: CISPR 22:2008 (International) Class A, CISPR 32:2015 (International) Class A / EN 55032:2015 Class A + A11:2020, CISPR 35:2016 (International) / EN 55035:2017 + A11:2020, EN IEC 61000-3-2:2019 + A11:2021, EN IEC 61000-3-3:2013+A1:2019 + A2:2021, FCC 47 CFR Part 15 Class A, ICES-003, Issue 7 Class A, Other EMC approvals as required by individual countries CECP; IT ECO Declaration; Blue Angel; EPEAT® Gold India; EPEAT® Gold Australia; EPEAT® Gold Canada; EPEAT® Gold US; SEPA; KOECO; ENERGY STAR® certified; Korea MEPS; Vietnam MEPS Blue Angel compliant ¹¹ Yes, Blue Angel DE-UZ 219—only ensured when using Original HP supplies Mercury free; Recyclable through HP Planet Partners; Contains at least 5% post-consumer recycled plastic
Sustainable impact specifications	Vietnam
Country of origin	A29Z4A HP LaserJet Enterprise X50352dn Printer; HP Original LaserJet Introductory Toner Cartridge (~6,000 pages); Regulatory Dyer; Unpack Dyer; Installation Guide;
What's in the box	Power cord; Warranty Cards; Support Dyers/ phone number list One-year, onsite warranty service. Warranty and support options vary by product, country and local legal requirements. Contact your Contractual Vendor or go to hp.com/support to learn about HP award winning service and support options in your region. (warranty code 4G; warranty ID A001)
Warranty	

Footnotes

¹ HP's most advanced embedded security features are available on HP Managed and Enterprise devices with HP FutureSmart Firmware 4.5 or above. Claim based on HP review of published features as of June 2025 of competitive in-class printers. Only HP offers a combination of security features to automatically detect, isolate, stop, and recover from attacks with a self-healing reboot, in alignment with NIST SP 800-193 guidelines for device cyber resiliency. Printers are most vulnerable to attack when they are booting up and during runtime (when the printer is in sleep mode and in use). Only HP Enterprise printers protect the device during 100% of the printer's life with Sure Start BIOS protection, Memory Shield with hardware-based Runtime Intrusion Detection and Control Flow Integrity to detect and recover from zero-day threats in addition to Connection Inspector network behavioral anomaly detection all with self-healing recovery. For a list of compatible products, visit hp.com/go/PrintersThatProtect For more information, visit hp.com/go/PrinterSecurityClaims.

² Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see [http://www.hp.com/go/printerclaims](https://www.hp.com/go/printerclaims). Exact speed varies depending on the system configuration, software application, driver, and document complexity.

³ Some features enabled by future HP FutureSmart Firmware upgrades may not be available on older devices, if for example, physical product characteristics limit the functionality of the new feature.

⁴ HP Smart Device Services (SDS) is supported on both A3 and A4 LaserJet devices, requires Original HP supplies to be installed in the device, and supports Managed, Enterprise, and Pro-class HP devices dating back to 2008. Capabilities vary based on the age of the legacy device and Pro-class capabilities. For details, see: <https://hpsdsdevicesupport.com>

⁵ HP Security Manager must be purchased separately. For details, see hp.com/go/securitymanager.

Based on HP's internal analysis of business Printers with preinstalled encryption, authentication, malware protection, post-quantum digital signature, and initial BIOS Firmware integrity protection with automatic self-healing recovery finding that no other in-class Printers implement a quantum-resistant cryptographic scheme to protect the integrity of the BIOS and Firmware as of March 2025.

Energy reduction in HP LaserJet Enterprise X50352-X50452 and X52952-X53052 with HP Original 159 TerraJet Toner Cartridges compared to predecessor HP LaserJet Enterprise E50145 and E52645 with HP Original 89 Toner Cartridges. Calculated in 2026 based on normalized Energy Star® Typical Electricity Consumption (TEC) data. See hp.com/TerraJet/energysaving for more information.

¹⁰ HP voluntarily designs and tests its printing systems to prevent emissions that exceed Blue Angel and EPEAT eco-label guidelines. Based on US, Canada, India, and Australia EPEAT® registration according to IEEE 1680.1-2018 EPEAT®. EPEAT® status varies by country. Visit www.energystar.gov/productfinder for more information on models of the HP LaserJet Enterprise X50352-X50452/MFP X52952-X53052 series that are ENERGY STAR certified in North America. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. HP printer, HP paper and Original HP supply - Blue Angel DE-UZ 219 Emissions Criteria.

¹¹ Recycled plastic in Original HP 159 and 160 TerraJet Toner Cartridges measured in 2026 and expressed as a percentage of total weight of plastic. See hp.com/TerraJet/plasticreductions for more information.

¹² Program availability varies. For more information, visit hp.com/hprecycle.

Not opting in to an HP+ account will reduce the offer to 2 months of free Instant Ink service subject to these terms and conditions. Unless the service is cancelled by you within the offer period online at hpinstantink.com, a monthly service fee, based on the plan chosen, plus tax and any applicable additional fee will be charged to your credit/debit card at the end of the offer period. HP Instant Ink signup must be completed for the applicable enrolment type (e.g. within 7 days of setting up an Instant Ink-enabled printer) as per the instructions that came with the printer. Use of in-box ink cartridge is included in the offer period. One offer is redeemable per printer and cannot be redeemed for cash. The offer is valid for enrolments prior to 12.31.2026. The offer may be combined with other offers - see terms and conditions of other offers for more details. Personal information (including name, postal address, email address, valid credit/debit card details) plus an internet connection to the printer are required to enroll in Instant Ink and activate the offer.

Technical specifications disclaimers

³ Active Printing measured on worse case bundle/mode, printing A4 simplex at 50 ppm.

⁴ EPEAT® registered where applicable. EPEAT registration varies by country. See <http://www.epeat.net> for registration status by country. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks.

With print cartridges

Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <https://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

⁵ Measured using ISO/IEC 24734 Feature Performance Test, excludes first set of test documents. For more information see <https://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

Device first page out time based on HP internal measurement of printer activation until page exit. Measurement based on industry-standard ISO/IEC 17629 can be found at <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.

HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period. The range shown is based on 60 months of output for the lower monthly value and 24 months of output for the higher monthly value.

Power consumption values based on measurement of 115 V device. Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.

¹² Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh).

Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. ENERGY STAR value typically based on measurement of 115 V device and 230 V for Blue Angel.

Citrix Server versions updates release every quarter, for updates see <https://www.citrix.com/en-in/downloads/citrix-virtual-apps-and-desktops/>; Citrix XenApp & XenDesktop versions updates release every quarter, for updates see <https://www.citrix.com/en-in/downloads/citrix-virtual-apps-and-desktops/>; Citrix Ready Kit Certification - see <http://citrixready.citrix.com> for the latest qualification for HP Printers;

¹⁴ Envelope feeder available as an accessory kit and requires that an additional Tray must be present in the Tray 3 position. Additional trays can be ordered as accessories to suit your requirements.

The printer can support up to 2 additional trays for desktop use and up to 3 additional trays for floor standing. Floor standing configurations must be built up from one of the two floor standing accessories - 3 x 550 Sheet Paper Tray with Stand, or 1 x 550 Sheet Paper Tray with Storage Stand.

